





	MATERIAL
①	N-LAK22
②	N-SF6



NOTES/SPECIFICATIONS:

- DESIGN WAVELENGTH: 1016.0nm, 1330.0nm, 1550.0nm
- FOCAL LENGTH: 7.5mm ±1% AT 1330.0nm
- BACK FOCAL LENGTH(REF): 5.2mm
- CLEAR APERTURE: > Ø 4.50mm
- SURFACE QUALITY: 40-20 SCRATCH-DIG
- CENTRATION: <3arcmin
- DIAMETER TOLERANCE: +0.0/-0.1mm
- THICKNESS TOLERANCE: ±0.20mm
- COATING: BBAR Ravg <0.5% FROM 1050-1700nm, AOI: 0° ON OUTER OPTICAL SURFACES

FOR INFORMATION ONLY  
NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION								
	NAME	DATE	D5.00mm, F=7.5mm, IR Achromat, C Coated					
DRAWN	CWD	2022/5/18	AD005-7.5-C					
APPROVAL	ZSE	2022/5/18	MATERIAL	WEIGHT	SCALE	REV		
FOR INFORMATION ONLYNOT FOR MANUFACTURING PURPOSES			SEE TABLE	0.00025kg		A		