

	MATERIAL		
0	N—BAF10		
2	N-SF10		





- 1. DESIGN WAVELENGTHS: 486.1nm, 587.6nm, & 656.3nm
- 2. FOCAL LENGTH: $f=99.9mm \pm 1\%$ AT 587.6nm
- 3. BACK FOCAL LENGTH (REF): 89.0mm
- 4. CLEAR APERTURE > 45.72mm
- 5. SURFACE QUALITY: 40-20 SCRATCH-DIG
- 6. CENTRATION: <3arcmin
- 7. DIAMETER TOLERANCE: +0.0/-0.1mm
- 8. THICKNESS TOLERANCE: ±0.20mm
- 9. COATING. BBAR Ravg <0.5% FROM 400-700nm, 0° AOI, ON OUTER OPTICAL SURFACES

FOR INFORMATION ONLY
NOT FOR MANUFACTURING PURPOSES



DRAWING PROJECTION	\bigcirc		不容创光科 RCOPTICS				
	NAME	DATE	D50.8mm, F=100.0.mm, Visible Achromat				
DRAWN	CWD	2022/5/18	AD508-100-A				
APPROVAL	ZSB	2022/5/18	MATERIAL	WEIGHT	SCALE	REV	
FOR INFORMATION ONLYNOT FOR MANUFACTURING PURPOSES		SEE TABLE	0.12040Kg	1:1	A		