



	MATERIAL
①	N-BAF10
②	N-SF6HT



NOTES/SPECIFICATIONS:

1. DESIGN WAVELENGTH: 706.5nm, 855.0nm, & 1015.0nm
2. FOCAL LENGTH: -74.9mm \pm 1% AT 855.0nm
3. BACK FOCAL LENGTH (REF): -78.9mm
4. CLEAR APERTURE: $>$ Ø 22.86mm
5. SURFACE QUALITY: 40-20 SCRATCH-DIG
6. CENTRATION: $<$ 3arcmin
7. DIAMETER TOLERANCE: +0.0/-0.1mm
8. THICKNESS TOLERANCE: \pm 0.20mm
9. COATING: BBAR Ravg $<$ 0.5% FROM 650-1050nm, 0° AOI, ON OUTER OPTICAL SURFACES

FOR INFORMATION ONLY
NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION			RCOPTICS			
	NAME	DATE	D25.4mm, F=-75mm, Near IR Achromat, B Coated			
DRAWN	CWD	2022/5/18	ADN254--75-B			
APPROVAL	ZSB	2022/5/18	MATERIAL	WEIGHT	SCALE	REV
FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES				SEE TABLE	0.01241kg	A