



- NOTES/SPECIFICATIONS:
  1. DESIGN WAVELENGTH: 587.6nm
- DESIGN WAVELENGTH: 587.6nm
  FOCAL LENGTH: f=12.0mm ± 1%
  BACK FOCAL LENGTH(REF): bf=10.7mm
  CLEAR APERTURE: >90%
  SURFACE QUALITY: 40-20 SCRATCH-DIG
  CENTRATION: <3arcmin
  DIAMETER TOLERANCE: ±0.0/-0.1mm
  THICKNESS TOLERANCE: ±0.1mm
  COATING: BRAR PROCEST FROM 350nm

- COATING: BBAR Ravg<0.5% FROM 350nm-700nm, 0° AOI, ON OUTER OPTICAL SURFACES

ALL DIMENSIONS ARE IN THE FORM  $\frac{[in]}{mm}$ THIS DRAWING IS FOR INFORMATION ONLY

NOT INTENDED FOR MANUFACTURING

DRAWING PROJECTION	on 🔾 🍥		客创光科 RCOPTICS			
	NAME	DATE	D9.0 F=12.0 N-BK7 A Coated Bi Convex Lens			
DRAWN	CWD	2022/5/18	BX1009-12-A			
APPROVAL	ZSB	2022/5/18	MATERIAL	WEIGHT	SCALE	REV
	ORMATION C	NLYNOT FOR PURPOSES	N-BK7		6:1	A