



- NOTES/SPECIFICATIONS:
  1. DESIGN WAVELENGTH: 587.6nm
- DESIGN WAVELENGIH: 587.6nm
  FOCAL LENGTH: f=174.4mm ± 1%
  BACK FOCAL LENGTH(REF): bf=172.2mm
  CLEAR APERTURE: >90%
  SURFACE QUALITY: 40-20 SCRATCH-DIG
  CENTRATION: <3arcmin
  DIAMETER TOLERANCE: +0.0/-0.1mm
  THICKNESS TOLERANCE: ±0.1mm
  COATING: BRAP Payer 50.5% FPON 350pm

- 2. 3. 4. 5. 6. 7. 8.
- COATING: BBAR Ravg<0.5% FROM 350nm-700nm, 0° AOI, ON OUTER OPTICAL SURFACES

ALL DIMENSIONS ARE IN THE FORM  $\frac{[in]}{mm}$ 

THIS DRAWING IS FOR INFORMATION ONLY NOT INTENDED FOR MANUFACTURING

DRAWING PROJECTION	$\bigcirc \bigcirc$		客创光科 RCOPTICS			
	NAME	DATE	D50.8 F=175.0 N-BK7 A Coated Bi Convex Lens			
DRAWN	CWD	2022/5/18	BX1508-175-A			
APPROVAL	ZSB	2022/5/18	MATERIAL	WEIGHT	SCALE	REV
FOR INFORMATION ONLYNOT FOR MANUFACTURING PURPOSES			N-BK7		1:1	A